

# SAFETY DATA SHEET WIS Chemical Anchor WVSF 200T Part B

According to Regulation (EC) No 1907/2006, Annex II, as amended.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name WIS Chemical Anchor WVSF 200T Part B

Synonyms; trade names 6099127 WIS Chemical Anchor WVSF 200T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Catalyst.

1.3. Details of the supplier of the safety data sheet

**Supplier** J. van Walraven Holding B.V.

Industrieweg 5 3641 RK Mijdrecht The Netherlands Tel. 0031 297 23 30 00 Fax. 0031 297 23 30 33

Info.nl@walraven.com www.walraven.com

1.4. Emergency telephone number

**Emergency telephone** 0031 297 23 30 00 (Monday-Friday 8:00 am - 5:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Eye Irrit. 2 - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Human health May cause skin disorders if contact is repeated or prolonged. May irritate eyes and skin.

**Environmental** The product contains a substance which is very toxic to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

Physicochemical Not considered to be a significant hazard due to the small quantities used.

2.2. Label elements

**Pictogram** 





Signal word Warning

## WIS Chemical Anchor WVSF 200T Part B

Hazard statements H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling.

P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P411 Store at temperatures not exceeding 25°C/77°F.

## 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

BENZOYL PEROXIDE 10-15%

CAS number: 94-36-0 EC number: 202-327-6 REACH registration number: 01-

2119511472-50

M factor (Acute) = 10 M factor (Chronic) = 10

Classification

Org. Perox. B - H241 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR

5-10%

CAS number: 670241-72-2 EC number: 447-010-5 REACH registration number: 01-

0000018876-55

Classification

Aquatic Chronic 2 - H411

ZINC DISTEARATE 1-5%

CAS number: 557-05-1 EC number: 209-151-9 REACH registration number: 01-

2119982400-42

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Aguatic Acute 1 - H400

# WIS Chemical Anchor WVSF 200T Part B

CARBON BLACK <0.5%

CAS number: 1333-86-4 EC number: 215-609-9 REACH registration number: 01-

2119384822-32

Classification Classification (67/548/EEC or 1999/45/EC)

Not Classified -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

## 4.2. Most important symptoms and effects, both acute and delayed

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Causes skin irritation.

**Eye contact** Irritation of eyes and mucous membranes.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No specific recommendations. If in doubt, get medical attention promptly.

## SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards No specific precautions due to the small quantities handled.

Hazardous combustion

products

Oxides of carbon.

# 5.3. Advice for firefighters

Protective actions during

Avoid breathing fire gases or vapours.

firefighting

for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# 6.2. Environmental precautions

# WIS Chemical Anchor WVSF 200T Part B

**Environmental precautions** Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. For waste disposal,

see Section 13.

#### 6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste

disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

**Usage precautions** Keep away from heat, sparks and open flame.

Advice on general Do not eat, drink or smoke when using this product. No specific hygiene procedures

occupational hygiene recommended but good personal hygiene practices should always be observed when working

with chemical products.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from flammable and combustible materials. Store in closed original container at

temperatures between 5°C and 25°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

## Occupational exposure limits

# **BENZOYL PEROXIDE**

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup>

# **CARBON BLACK**

Long-term exposure limit (8-hour TWA): WEL 3.5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 7 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

## **BENZOYL PEROXIDE (CAS: 94-36-0)**

**DNEL** Industry - Dermal; Long term : 6.6 mg/kg/day

Industry - Oral; Long term : 1.6 mg/kg/day Industry - Inhalation; Long term : 11.75 mg/m³

PNEC - Sediment (Freshwater); 0.338 mg/kg

- marine water; 0.0000602 mg/l

- Sediment (Marinewater); 0.0338 mg/kg

- STP; 0.35 mg/l

- Fresh water; 0.000602 mg/l

# **CARBON BLACK (CAS: 1333-86-4)**

**DNEL** Industry/Professional - Inhalation; Long term systemic effects: 2 mg/m³

**REACH** dossier information

# WIS Chemical Anchor WVSF 200T Part B

PNEC - Fresh water; 5 mg/l

- marine water; 5 mg/l REACH dossier information

# 8.2. Exposure controls

# Protective equipment







Appropriate engineering

controls

Provide adequate ventilation.

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

**Hand protection** Wear protective gloves made of the following material: Nitrile rubber.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. DO NOT

SMOKE IN WORK AREA!

**Respiratory protection** No specific recommendations.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Off-white.

Odour Characteristic.

Odour threshold Not determined.

**pH** 5 - 6

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point Not applicable.

**Evaporation rate** Not determined.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Other flammability Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 1.5 - 1.6

Bulk density Not applicable.

Solubility(ies) Not determined.

# WIS Chemical Anchor WVSF 200T Part B

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

**Decomposition Temperature** >50°C

Viscosity > 60 S ISO2431

**Explosive properties**No information available.

Oxidising properties Not determined.

9.2. Other information

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity** The following materials may react with the product: Acids. Alkalis. Amines. Strong reducing

agents.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Will decompose at

temperatures exceeding 50°C.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with strong reducing agents. Avoid heat. Avoid contact with acids and alkalis.

10.5. Incompatible materials

Materials to avoid Strong reducing agents. Acids, non-oxidising. Acids - organic. Alkalis - inorganic. Alkalis -

organic. Amines.

## 10.6. Hazardous decomposition products

Hazardous decomposition

products

Oxides of carbon.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Skin sensitisation

**Skin sensitisation** Sensitising.

**Inhalation** No specific health hazards known.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Irritating to skin. May cause sensitisation by skin contact.

**Eye contact** Irritation of eyes and mucous membranes.

Route of exposure Skin and/or eye contact.

**Medical symptoms** Skin irritation. Irritation of eyes and mucous membranes.

**Medical considerations** No information available.

# Toxicological information on ingredients.

# WIS Chemical Anchor WVSF 200T Part B

## **BENZOYL PEROXIDE**

Carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecological information on ingredients.

#### **BENZOYL PEROXIDE**

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.01 < L(E)C50 \le 0.1$ 

M factor (Acute) 10

Acute toxicity - fish LC50, 96 hours: 0.06 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.11 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hours: 0.07 mg/l, Selenastrum capricornutum

Chronic aquatic toxicity

M factor (Chronic) 10

## BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 24 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)

LC<sub>50</sub>, 48 hours: > 1.23 mg/l, Cyprinus carpio (Common carp) LC<sub>50</sub>, 72 hours: > 1.23 mg/l, Cyprinus carpio (Common carp) EC<sub>50</sub>, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp) EC<sub>100</sub>, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp) NOEC, 96 hours: > 1.23 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic

invertebrates

 $EC_{50}$ , 24 hours: > 2.2 mg/l, Daphnia magna  $EC_{50}$ , 48 hours: > 2.2 mg/l, Daphnia magna

NOEC, 48 hours: > 2.2 mg/l, Daphnia magna

Acute toxicity - IC<sub>50</sub>, 3 hours: > 1000 mg/l, Activated sludge microorganisms NOEC, 3 hours: > 1000 mg/l, Activated sludge

## 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

# 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

**Mobility** Mobile. The product is partly miscible with water and may spread in the aquatic environment.

# 12.5. Results of PBT and vPvB assessment

## WIS Chemical Anchor WVSF 200T Part B

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste via a licensed waste disposal contractor.

Waste class The waste code classification is to be carried out according to the European Waste Catalogue

(EWC).

# **SECTION 14: Transport information**

## 14.1. UN number

3082 UN No. (ADR/RID)

UN No. (IMDG) 3082

UN No. (ICAO) 3082

3082 UN No. (ADN)

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZOYL

PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZOYL

PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Proper shipping name (ICAO)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZOYL

PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

Proper shipping name (ADN)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BENZOYL

PEROXIDE, BENZOIC ACID, NONYL ESTER, BRANCHED AND LINEAR)

# 14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label q

**IMDG** class 9

ICAO class/division 9

**ADN class** q

## Transport labels



# 14.4. Packing group

ADR/RID packing group Ш

IMDG packing group Ш

ICAO packing group Ш

## WIS Chemical Anchor WVSF 200T Part B

ADN packing group III

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



## 14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

(E)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation (EU) No 2015/830

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Revision comments This is the first issue. NOTE: Lines within the margin indicate significant changes from the

previous revision.

Revision date 14/12/2017

Version number 1.000 SDS number 20904

**Hazard statements in full** H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.